

Micro ride-on scrubber dryer doubles cleaning output at price of walk-behind model

The Nilfisk SC2000 mini ride-on scrubber dryer eases the working effort significantly compared a walk-behind machine. An attractive choice for cleaning of offices, supermarkets, sports centers, shops, restaurants, hotels, and institutions like hospitals and schools.

Taking working speed up to 6 km/h – from an average 4 km/h with a walk-behind scrubber dryer– the SC2000 has a great impact on both productivity and cleaning costs.





It is easy to maneuver even in narrow spaces thanks to its compact dimensions. Thanks to its silent mode function for ultra-low sound level, you can use the machine for daytime cleaning, even in sound sensitive areas. 70L tank capacity allows to clean up to 120 minutes per tank reducing the time spent for dumps and refills.



Picture shown may not represent model quoted


- Productive: 53 cm scrubbing width, high speed (6 km/h), 70/70 L
- Compact and comfortable: very compact dimensions for narrow areas, comfortable seat and wide space for operator's legs.
- Consistent cleaning quality: Solution flow of detergent/water automatically controlled by speed.
- Ideal for daytime cleaning: Low noise Vac motor system with silent mode setting working at just 62 ±3 dBA
- Easy to control: Dashboard with One-Touch button; intuitive display integrated in the steering wheel.
- New water filling system automatically shutoff water when the tank is full
- Easy handling: Automatic brush click on/off and plastic light squeegee with patent elastic strap system.
- Sustainable: Ecoflex system with flexible detergent setting and water-only cleaning.
- Self-adjusting brush speed according to floor type and application to save energy consumptions.
- One year commercial warranty

• Standard equipment






Included accessories	Ref. no.	Min. required	SCRUBBER SC2000 53 B FPGK	SCRUBBER SC2000 53 B	SCRUBBER SC2000 53 B
Ecoflex System					
 ECOFLEX DETERGENT KIT	9100002389	1			
Squeegee Blade					
 BLADE SQUEEGEE 730MM 29	9100000490	1		•	
Other					
 FILLING HOSE	9100000952	1		•	
OPERATOR KEY	9100000843	1		•	
 SMART KEY-SUPERVISOR	56116519	1			•



Micro ride-on scrubber dryer doubles cleaning output at price of walk-behind model

Included accessories	Ref. no.	Min. required	SCRUBBER SC2000 53 B FPGK	SCRUBBER SC2000 53 B	SCRUBBER SC2000 53 B
 SMART KEY-USER	56116518	1			•
SUPERUSER KEY	9100000848	1		•	

• Standard equipment

Included accessories	Ref. no.	Min. required	SCRUBBER SC2000 53 B
Ecoflex System			
 ECOFLEX DETERGENT KIT	9100002389	1	•
Squeegee Blade			
 BLADE SQUEEGEE 730MM 29	9100000490	1	
Other			
 FILLING HOSE	9100000952	1	
OPERATOR KEY	9100000843	1	
 SMART KEY-SUPERVISOR	56116519	1	•
 SMART KEY-USER	56116518	1	•
SUPERUSER KEY	9100000848	1	

Model	SCRUBBER SC2000 53 B FPGK	SCRUBBER SC2000 53 B	SCRUBBER SC2000 53 B
Ref. no.	9087364020	9087360020PA	9087410020

PRODUCT FEATURES

Tip out recovery tank	•	•
Automatic squeegee lift in reverse	•	•
Back up warning alarm	•	•
Blades can be used on 4 edges	•	•
Click on-off brush	•	•
One-Touch™ control panel	•	•
Debris tray	•	•



Micro ride-on scrubber dryer doubles cleaning output at price of walk-behind model

Model	SCRUBBER SC2000 53 B FPGK	SCRUBBER SC2000 53 B	SCRUBBER SC2000 53 B
Ref. no.	9087364020	9087360020PA	9087410020

PRODUCT FEATURES

Ecoflex prepared	•		•
Break-away squeegee clips	•		•
Lithium ion battery			
Quick change system for squeegee blades	•		•
Squeezable drain hose with flow control	•		•
SmartKey system	•		•
Filling hose	•		•
Squeegee	•		•
SmartFlow system	•		•
TrackClean ready	•		•
Nilfisk SilenTech™	•		•

Model	SCRUBBER SC2000 53 B
Ref. no.	9087411020

PRODUCT FEATURES

Tip out recovery tank		•
Automatic squeegee lift in reverse		•
Back up warning alarm		•
Blades can be used on 4 edges		•
Click on-off brush		•
One-Touch™ control panel		•
Debris tray		•
Ecoflex prepared		•
Break-away squeegee clips		•
Lithium ion battery		
Quick change system for squeegee blades		•
Squeezable drain hose with flow control		•
SmartKey system		•
Filling hose		•
Squeegee		•
SmartFlow system		•
TrackClean ready		•
Nilfisk SilenTech™		•



Micro ride-on scrubber dryer doubles cleaning output at price of walk-behind model

Technical specifications	SCRUBBER SC2000 53 B FPGK	SCRUBBER SC2000 53 B	SCRUBBER SC2000 53 B
Max. running time (hour)	4 HOURS	4 HOURS	4 HOURS
Max. speed (km/h)	6	6	6
Number of batteries			
Voltage (V)	24	24	24
Brush motor (W)	450	450	450
Vacuum motor power (W)	310	310	310
Vacuum (kPa)	9.8	9.8	9.8
Sound pressure level (dB(A))	68/62 ±3	68/62 ±3	68/62 ±3
Productivity theoretical/actual (m ² /h)	3180/2230	3180/2230	3180/2230
Min. turn-around aisle width (cm)	180	180	180
Max. climbing rate (%)	15-18	2	15-18
Water flow (l/m)	0.75/1.5/3.0	0.75/1.5/3.0	0.75/1.5/3.0
Solution/recovery tank (L)	70/70	70/70	70/70
Squeegee width (mm)	720	720	720
Brush/pad diameter (mm)	530/508	530/508	530/508
Brush pressure (kg)	15/30	15/30	15/30
Brush speed (RPM)	155	155	155
Brush quantity and type	1 Disc	1 Disc	1 Disc
Length x width x height (mm)	1270x550x1020	1270x550x1020	1270x550x1020
Battery compartment size (L x W x H) (mm)	350x360x280	350x360x280	350x360x280
Gross weight (gvw) (kg)	342	342	342
Shipping weight (kg)	228	152	152
Batteries			

Technical specifications	SCRUBBER SC2000 53 B
Max. running time (hour)	4 HOURS
Max. speed (km/h)	6
Number of batteries	
Voltage (V)	24
Brush motor (W)	450
Vacuum motor power (W)	310
Vacuum (kPa)	9.8
Sound pressure level (dB(A))	68/62 ±3
Productivity theoretical/actual (m ² /h)	3180/2230
Min. turn-around aisle width (cm)	180
Max. climbing rate (%)	15-18
Water flow (l/m)	0.75/1.5/3.0









Micro ride-on scrubber dryer doubles cleaning output at price of walk-behind model

Technical specifications

SCRUBBER
SC2000 53 B











Solution/recovery tank (L)	70/70
Squeegee width (mm)	720
Brush/pad diameter (mm)	530/508
Brush pressure (kg)	15/30
Brush speed (RPM)	155
Brush quantity and type	1 Disc
Length x width x height (mm)	1270x550x1020
Battery compartment size (L x W x H) (mm)	350x360x280
Gross weight (gvw) (kg)	342
Shipping weight (kg)	228
Batteries	

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	SCRUBBER SC2000 53 B FPGK	SCRUBBER SC2000 53 B	SCRUBBER SC2000 53 B
Pad 20" / 508 mm					
 PAD 20 508MM ECO BLACK	10001955	1		○	
 PAD 20 508MM ECO BLUE	10001956	1		○	
 PAD 20 508MM ECO BROWN	10001957	1		○	
 PAD 20 508MM ECO GREEN	10001958	1		○	
 PAD 20 508MM ECO RED	10001959	1		○	
 PAD 20 508MM ECO WHITE	10001960	1		○	
Special Pad					














Micro ride-on scrubber dryer doubles cleaning output at price of walk-behind model

	Accessories	Ref. no.	Min. required	SCRUBBER SC2000 53 B FPGK	SCRUBBER SC2000 53 B	SCRUBBER SC2000 53 B
	PAD 20 508MM ECO	10002348	1		○	
	PAD 20 508MM ECO	10002349	1		○	
	PAD 20 508MM ECO	10002350	1		○	
	PAD 20 508MM ECO	10002351	1		○	
External Charger						
	CHARGER HF 24V 10A SB120R	80512410	1		○	
Battery						
	BATT. 12V-76AH GEL	80564310	2		○	
	BATT. 12V-105AH GEL	80564400	2		○	
	BATT. 12V-110AH WET	80564600	2		○	
Pad Holder						
	PAD HOLDER 21 530MM	9099671000	1		○	
	PAD HOLDER SHORT TRIM 530	L08837018	1		○	
Other						
	AUTOMATIC WATER FILLING	9100000707	1		□	













Micro ride-on scrubber dryer doubles cleaning output at price of walk-behind model

Accessories	Ref. no.	Min. required	SCRUBBER SC2000 53 B FPGK	SCRUBBER SC2000 53 B	SCRUBBER SC2000 53 B
 BASKET KIT	9100000697	1		○	
 FILLING HOSE	9100000952	1		●	
 FILTER ANTIFOAMING	909 5065 000	1		○	
 MOP KIT	9100000688	1		○	
OPERATOR KEY	9100000843	1		●	
 SMART KEY-SUPERVISOR	56116519	1			●
 SMART KEY-USER	56116518	1			●
SUPERUSER KEY	9100000848	1		●	
Disc Brush 530 mm					
 AGLITE GRIT 500 BRUSH	L08837067	1		○	
 BRUSH DYNA GRIT 80	L08837066	1		○	
 BRUSH MAGNA GRIT 46	L08837065	1		○	
 BRUSH MIDGRIT 240 MEDIUM	L08837029	1		○	
 BRUSH MIDLITE GRIT 180	L08837028	1		○	














Micro ride-on scrubber dryer doubles cleaning output at price of walk-behind model

Accessories	Ref. no.	Min. required	SCRUBBER SC2000 53 B FPGK	SCRUBBER SC2000 53 B	SCRUBBER SC2000 53 B
 BRUSH PROLENE MEDIUM	L08837025	1		○	
 BRUSH PROLITE SOFT	L08837026	1		○	
 BRUSH UNION MIX 530MM	L08837027	1		○	
Squeegee Blade					
 BLADE SQUEEGEE 730MM 29	910000060	1		○	
 BLADE SQUEEGEE 730MM 29	9100000490	1		●	
 BLADE SQUEEGEE 740MM 29	9100000810	1		○	
Light Option					
 BEACON FLASHING KIT	9100000663	1	□		□
Ecoflex System					
 ECOFLEX CHEMICAL KIT	9100000694	1		□	
	ECOFLEX DETERGENT KIT	9100002389	1		□
On-Board Charger					
 CHARGER BATT. O/B 24V	9100000940	1		□	
Splash Guard					
 SPLASH GUARD CPL F	9100001441	1		○	













Micro ride-on scrubber dryer doubles cleaning output at price of walk-behind model

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment












Accessories		Ref. no.	Min. required	SCRUBBER SC2000 53 B
Pad 20" / 508 mm				
	PAD 20 508MM ECO BLACK	10001955	1	
	PAD 20 508MM ECO BLUE	10001956	1	
	PAD 20 508MM ECO BROWN	10001957	1	
	PAD 20 508MM ECO GREEN	10001958	1	
	PAD 20 508MM ECO RED	10001959	1	
	PAD 20 508MM ECO WHITE	10001960	1	
Special Pad				
	PAD 20 508MM ECO	10002348	1	
	PAD 20 508MM ECO	10002349	1	
	PAD 20 508MM ECO	10002350	1	
	PAD 20 508MM ECO	10002351	1	
External Charger				
	CHARGER HF 24V 10A SB120R	80512410	1	








Micro ride-on scrubber dryer doubles cleaning output at price of walk-behind model

Accessories		Ref. no.	Min. required	SCRUBBER SC2000 53 B
Battery				
	BATT. 12V-76AH GEL	80564310	2	
	BATT. 12V-105AH GEL	80564400	2	
	BATT. 12V-110AH WET	80564600	2	
Pad Holder				
	PAD HOLDER 21 530MM	9099671000	1	
	PAD HOLDER SHORT TRIM 530	L08837018	1	
Other				
	AUTOMATIC WATER FILLING	9100000707	1	
	BASKET KIT	9100000697	1	
	FILLING HOSE	9100000952	1	
	FILTER ANTIFOAMING	909 5065 000	1	
	MOP KIT	9100000688	1	
	OPERATOR KEY	9100000843	1	
	SMART KEY-SUPERVISOR	56116519	1	•

Micro ride-on scrubber dryer doubles cleaning output at price of walk-behind model

Accessories		Ref. no.	Min. required	SCRUBBER SC2000 53 B
	SMART KEY-USER	56116518	1	•
	SUPERUSER KEY	9100000848	1	
Disc Brush 530 mm				
	AGLITE GRIT 500 BRUSH	L08837067	1	
	BRUSH DYNA GRIT 80	L08837066	1	
	BRUSH MAGNA GRIT 46	L08837065	1	
	BRUSH MIDGRIT 240 MEDIUM	L08837029	1	
	BRUSH MIDLITE GRIT 180	L08837028	1	
	BRUSH PROLENE MEDIUM	L08837025	1	
	BRUSH PROLITE SOFT	L08837026	1	
	BRUSH UNION MIX 530MM	L08837027	1	
Squeegee Blade				
	BLADE SQUEEGEE 730MM 29	9100000060	1	
	BLADE SQUEEGEE 730MM 29	9100000490	1	

Micro ride-on scrubber dryer doubles cleaning output at price of walk-behind model

Accessories		Ref. no.	Min. required	SCRUBBER SC2000 53 B
	BLADE SQUEEGEE 740MM 29	9100000810	1	
Light Option				
	BEACON FLASHING KIT	9100000663	1	□
Ecoflex System				
	ECOFLEX CHEMICAL KIT	9100000694	1	
	ECOFLEX DETERGENT KIT	9100002389	1	•
On-Board Charger				
	CHARGER BATT. O/B 24V	9100000940	1	
Splash Guard				
	SPLASH GUARD CPL F	9100001441	1	

