



## B 40 W Bp DOSE (disc)

Walk-behind scrubber dryer B 40 W Bp. Configuration example with infinitely variable traction drive, disc brush, 51 cm working width and maintenance-free battery with 115 Ah capacity.



### 1 Choice of several batteries. Also available as a mains-operated variant

- The built-in charger is perfectly adapted for the different battery types.
- For a long battery life.

### 2 Convenient Auto Fill function

- Time-saving filling of the fresh water tank.
- Filling with the fresh water hose stops automatically as soon as the tank is full.

### 3 Brush head with disc engineering

- Optionally available with a 43 or 51 centimetre working width.
- Tool-free and fast brush replacement by foot pedal and locking mechanism.

### 4 EASY Operation switch

- Simple operation.
- The basic functions are easily controlled using the EASY Operation switch.



## B 40 W Bp DOSE (disc)

### Technical data

<b>Order no.</b>	1.533-210.2	
<b>EAN code</b>	4039784538764	
<b>Working width of brushes</b>	mm	430
<b>Working width, vacuuming</b>	mm	850
<b>Max. area performance</b>	m <sup>2</sup> /h	3060
<b>Fresh/dirty water tank</b>	l	40 / 40
<b>Brush contact pressure</b>	g/cm <sup>2</sup>	30 - 50
<b>Brush rotational speed</b>	rpm	180
<b>Rated input power</b>	W	max. 1300
<b>Weight (with accessories)</b>	kg	93
<b>Dimensions (L × W × H)</b>	mm	1249 × 620 × 1145
<b>Battery voltage</b>	V	24
<b>Battery runtime</b>	h	max. 3.5

### Equipment

<b>Disc brush</b>	■
<b>Fact</b>	-
<b>Tin</b>	■
<b>Tank-in-tank design</b>	■
<b>Motor</b>	Battery

■ Included in the scope of supply.

# B 40 W BP DOSE (DISC) 1.533-210.2




		Order no.	Hardness / Brush type	Diameter	Colour	Quantity	Price	Description	
<b>Disc brushes</b>									
Disc brush complete white D51	1	4.905-028.0	very soft	510 mm	White	1 piece(s)		White, soft disc brush for the gentle cleaning of sensitive floor coverings.	<input type="checkbox"/>
Disc brush	2	4.905-027.0	soft	510 mm	natural	1 piece(s)		Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings.	<input type="checkbox"/>
	3	4.905-026.0	medium	510 mm	red	1 piece(s)		Red standard disc brush for regular maintenance cleaning.	<input type="checkbox"/>
Disc brush complete black D51	4	4.905-029.0	hard	510 mm	black	1 piece(s)		Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	<input type="checkbox"/>
Disc brush	5	4.905-024.0	very soft	430 mm	White	1 piece(s)		White, soft disc brush for the gentle cleaning of sensitive floor coverings.	<input type="checkbox"/>
	6	4.905-023.0	soft	430 mm	natural	1 piece(s)		Natural-coloured, soft disc brush for cleaning and polishing textured floor coverings.	<input type="checkbox"/>
	7	4.905-022.0	medium	430 mm	red	1 piece(s)		Red standard disc brush for regular maintenance cleaning.	<input type="checkbox"/>
	8	4.905-025.0	hard	430 mm	black	1 piece(s)		Black, very abrasive disc brush for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	<input type="checkbox"/>

Available accessories.

# B 40 W BP DOSE (DISC) 1.533-210.2

**KÄRCHER**



		Order no.	Hardness / Brush type	Diameter	Colour	Quantity	Price	Description	
<b>Microfibre pad</b>									
Microfibre pad	1	6.371-271.0	microfibre	508 mm	White	5 piece(s)		Microfibre disc pad for the reliable and gentle removal of grey haze. Ideal for fine stoneware tiles.	<input type="checkbox"/>
	2	6.905-526.0	microfibre	410 mm	White	5 piece(s)			<input type="checkbox"/>
<b>Pads</b>									
Pad	3	6.369-468.0	soft	508 mm	beige	5 piece(s)		Beige-coloured disc pad with fine abrasive for cleaning and polishing.	<input type="checkbox"/>
	4	6.369-079.0	medium-soft	508 mm	red	5 piece(s)		Red, standard disc pad for regular maintenance cleaning.	<input type="checkbox"/>
	5	6.369-078.0	medium-hard	508 mm	green	5 piece(s)		Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt.	<input type="checkbox"/>
	6	6.369-077.0	hard	508 mm	black	5 piece(s)		Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	<input type="checkbox"/>
	7	2.639-258.0	hard	508 mm	brown	2 piece(s)		Very abrasive disc pad for chemical-free care film and decoating.	<input type="checkbox"/>
	8	6.371-146.0	soft	500 mm	beige / natural	5 piece(s)		Beige-coloured disc pad with fine abrasive for cleaning and polishing.	<input type="checkbox"/>
	9	6.369-469.0	very soft	432 mm	White	5 piece(s)		White, soft and non-abrasive disc pad for cleaning and high-gloss polishing.	<input type="checkbox"/>
	10	6.371-149.0	soft	432 mm	beige / natural	5 piece(s)		Beige-coloured disc pad with fine abrasive for cleaning and polishing.	<input type="checkbox"/>
	11	6.371-081.0	soft	432 mm	beige	5 piece(s)			<input type="checkbox"/>
	12	6.369-470.0	medium-soft	432 mm	red	5 piece(s)		Red, standard disc pad for regular maintenance cleaning.	<input type="checkbox"/>
	13	6.369-472.0	medium-hard	432 mm	green	5 piece(s)		Green, abrasive roller pad for deep cleaning, as well as the removal of sticky dirt.	<input type="checkbox"/>
	14	6.369-473.0	hard	432 mm	black	5 piece(s)		Black, very abrasive disc pad for the deep cleaning of hard-wearing floor coverings with very sticky dirt.	<input type="checkbox"/>
<b>Pad drive boards</b>									
Pad drive board STRONG	15	4.762-593.0		479 mm		1 piece(s)		Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lots of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 51.	<input type="checkbox"/>
	16	4.762-592.0		403 mm		1 piece(s)			Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lots of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 43.
Pad drive board	17	4.762-534.0		479 mm		1 piece(s)		For cleaning with pads. With quick-change coupling and Centerlock.	<input type="checkbox"/>
	18	4.762-533.0		403 mm		1 piece(s)		For cleaning with pads. With quick-change coupling and Centerlock. Fits D 43.	<input type="checkbox"/>

Available accessories.


# B 40 W BP DOSE (DISC) 1.533-210.2



		Order no.	Hardness / Brush type	Diameter	Colour	Quantity	Price	Description	
<b>Diamond pad</b>									
Diamond pad	19	6.371-260.0	coarse	508 mm	White	5 piece(s)		White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad.	<input type="checkbox"/>
	20	6.371-261.0	medium	508 mm	yellow	5 piece(s)		Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad.	<input type="checkbox"/>
	21	6.371-240.0	fine	508 mm	green	5 piece(s)		Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation.	<input type="checkbox"/>
	22	6.371-256.0	coarse	432 mm	White	5 piece(s)		White, coarse diamond disc pad for hard floor coverings. Removes minor scratches and creates a clean, even matt base for further treatment with yellow diamond disc pad.	<input type="checkbox"/>
	23	6.371-257.0	medium	432 mm	yellow	5 piece(s)		Yellow, diamond disc pad for treating and maintaining hard floor coverings. For a silky matt surface which can then be polished with the green diamond disc pad.	<input type="checkbox"/>
	24	6.371-238.0	fine	432 mm	green	5 piece(s)		Green, fine diamond disc pad for polishing polishable floor coverings. Creates high-gloss surfaces and can also be used for crystallisation.	<input type="checkbox"/>

Available accessories.

# B 40 W BP DOSE (DISC) 1.533-210.2



		Order no.	Length	Colour	Quantity	Price	Description	
<b>Squeegee blades</b>								
Rubber lip set oil resistant BR-BD530,55	1	6.273-207.0	890 mm	transparent	2 -part		Squeegee blade kit includes front and rear squeegee blades, 890 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.	<input type="checkbox"/>
Squeegee blades	2	6.273-229.0	890 mm	transparent	2 -part		Squeegee blade kit includes front and rear squeegee blades, 890 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.	<input type="checkbox"/>
	3	6.273-290.0	890 mm	transparent	2 -part		Suction lip set, consisting of front and rear suction lip. 890 mm long. In an enclosed design made from wear-resistant, oil-resistant and transparent polyurethane. For textured floors.	<input type="checkbox"/>
Rubber lip set standard	4	6.273-213.0	890 mm	blue	2 -part		Squeegee blade kit includes front and rear squeegee blades, 890 mm. Soft natural rubber grooved squeegee blades. For all standard floors.	<input type="checkbox"/>
Squeegee blades for V-squeegee	5	6.273-023.0	1010 mm	transparent	2 -part		Suction lip set, fluted and developed for V-shaped squeegees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for all floors.	<input type="checkbox"/>
<b>Squeegees</b>								
Squeegee	6	4.777-079.0	900 mm	transparent	1 piece(s)		900 mm long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment.	<input type="checkbox"/>

Available accessories.

# B 40 W BP DOSE (DISC) 1.533-210.2

**KÄRCHER**




		Order no.	Length	Colour	Quantity	Price	Description	
<b>Miscellaneous</b>								
Filling hose	1	6.680-124.0	1.5 m		1 piece(s)		1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for all standard taps.	<input type="checkbox"/>
KIK key, white	2	4.035-076.0		White	1 piece(s)		User key for using the appliance programmable	<input type="checkbox"/>
KIK key set, white	3	4.035-064.0		White	5 piece(s)		5 white keys with keychain. Each key can be individually preset using the grey key supplied with the machine. This means that the machine parameters are always the same. The keychain helps to identify the key. This allows parameters to be set for cleaning in summer or winter, in sunshine or rain, on sensitive and hard-wearing floors or in workshops and showrooms.	<input type="checkbox"/>
Add-on kit ecolzero	4	5.388-133.0			1 piece(s)		With ecolzero for climate-neutral cleaning: as compensation for the CO2 which is produced by using the machine, we support climate protection projects worldwide.	<input type="checkbox"/>
<b>Home Base accessories</b>								
Home Base adapter	5	5.035-488.0			1 piece(s)		Fastener for various hooks and clips on the machine.	<input type="checkbox"/>
Double hook	6	6.980-077.0			1 piece(s)		Double hook for attaching rubbish bags, etc. to the machine. Only for use with the Homebase adapter 5.035-488.0.	<input type="checkbox"/>
Holder handhold grey	7	6.980-078.0		grey	1 piece(s)		Mop clip for attaching a mop to the machine. Only for use with the Homebase adapter 5.035-488.0.	<input type="checkbox"/>
Bottle holder	8	6.980-080.0		grey	1 piece(s)		Suitable for transporting spray bottles - only in conjunction with Home Base adapter 5.035-488.0.	<input type="checkbox"/>
Home Base Box Kit	9	4.035-406.0			1 piece(s)		The Box kit provides enough space for three cleaning agent bottles along with cloths, scrapers, spare rubbish bags, gloves, etc.	<input type="checkbox"/>
Universal hook kit	10	4.070-075.0			1 piece(s)		Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	<input type="checkbox"/>
<b>Dosing aids</b>								
DS 3 Cleaning Agent Dosing Station	11	2.641-811.0			1 piece(s)		After connecting to a tap, cleaning agent can be filled into the fresh water tank and diluted as required. Can also be used with the filling system attachment kit. Includes back-flow preventer (DIN EN 1717).	<input type="checkbox"/>

Available accessories.

# B 40 W BP DOSE (DISC) 1.533-210.2



1



2

		Order no.	Length	Diameter	Quantity	Price	Description	
<b>Other attachment kits</b>								
Suction hose accessories	1	4.444-015.0	3.25 m		1 piece(s)		For vacuuming water out of corners or containers (e.g. freezers).	<input type="checkbox"/>
Attachment kit stacked bumper roller squeegee	2	4.035-619.0			2 - part		Additional, non-marking bumper rollers for assembly at the ends of the squeegee. Effectively prevent the squeegee from hooking onto pallets or shelf feet.	<input type="checkbox"/>

Available accessories.



# B 40 W BP DOSE (DISC) 1.533-210.2



		<b>Order no.</b>	<b>Quantity</b>	<b>Battery voltage</b>	<b>Battery capacity</b>	<b>Battery type</b>	<b>Price</b>	<b>Description</b>	
<b>Batteries</b>									
Battery kit	1	2.815-100.0	2 -part	24 V	105 Ah	mainten- ance- free		Battery kit with 24 V voltage and 105 Ah (C5) capacity. Comprising several maintenance-free single gel batteries.	<input type="checkbox"/>
	2	2.815-091.0	2 -part	24 V	115 Ah	mainten- ance- free		Battery kit with 24 V voltage and 115 Ah (C5) capacity. Comprising several maintenance-free single AGM batteries.	<input type="checkbox"/>
	3	2.815-090.0	2 -part	24 V	80 Ah	mainten- ance- free		AGM battery kit with 24 V voltage and 80 Ah (C5). The kit includes 2 single batteries, each with 12 V and 80 Ah capacity.	<input type="checkbox"/>
<b>Accessories for batteries</b>									
Battery mounting kit	4	2.638-036.0	2 -part					Installation kit for installing battery kit in a machine. Incl. connection cable and brackets.	<input type="checkbox"/>
	5	2.638-059.0	2 -part					Installation kit for installing battery kit in a machine. Incl. brackets and connection cable.	<input type="checkbox"/>
Spacer	6	4.642-020.0	1 piece(s)					Fits quick charger set 2.642-559.0. Prevents the battery from slipping into the machine.	<input type="checkbox"/>

Available accessories.

# B 40 W BP DOSE (DISC) 1.533-210.2



		Order no.	Quantity	ID	Width	Length	Price	Description	
<b>Other</b>									
Cleaning agent container, complete	1	4.070-006.0	1 piece(s)					Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base rail.	<input type="checkbox"/>

Available accessories.