



NT 65/2 Tact² Tc

The Kärcher Tact² systems are ever popular as specialist systems and as all-rounders thanks to their high level of mobility and excellent performance, their solid construction and their wide range of practical design features. Models with a tilting chassis are particularly efficient in industrial settings, where the removal of liquids, dirt and debris is called for. The NT65/2 TACT2 TC is one of the best wet and dry vacuum cleaners out there.




1 Tilting chassis with container lock

- to keep the container securely attached to the chassis.




2 Everything to hand

- Convenient to carry by two persons - container is easy to empty.



3 Suction pipes and floor nozzles can be stored in any direction in the accessory holders

- For easy access from all sides.
- Ample storage for a 4 m hose and rubber power cord (10m).



4 Drain hose for emptying liquids.

- Cover remains tightly closed until the contents are drained.



NT 65/2 Tact² Tc

- Automatic Filter Cleaning System Tact²
- Accessory / suction hose storage
- Moisture-proof PES filter

Technical data

Order No.	1.667-287.0	
EAN code	4039784727250	
Type of current	Phases / Volt / Hertz	1 / 220 - 240 / 50 - 60
Air flow	Litres per second	2 x 74
Vacuum	Millibar / Kilopascal	254 / 25,4
Container capacity	Litre	65
Container material	Plastic	
Rated input power	Watt	Maximum 2760
Standard nominal width	DN 40	
Cable length	Metre	10
Sound pressure level	Decibel	73
Weight	Kilogram	27,5
Weight incl. packaging	Kilogram	35,37
Dimensions (L x W x H)	Millimetre	685 x 560 x 905

Equipment

Suction hose	Metre	4 / with bend	Sturdy bumper	■
Suction Tube	Unit x Metre / Millimetre	2 x 0,55 / 40 / Stainless steel	Push handle	■
Filter bag	Unit	1 / Paper	Protection class	II
Wet and dry floor tool	Millimetre	360	Castor with brake	■
Crevice nozzle	■			
Drain hose (oil-resistant)	■			
Auto shutdown when max. level is reached	■			
Eco filter system	■			
Flat pleated filter	PES			
Tilting chassis	■			
Filter cleaning	Tact filter cleaning			

■ Included in delivery.

NT 65/2 TACT² TC

1.667-287.0

KÄRCHER




		Order No.	Quantity				Price	Description		
Flat pleated filter (PES)										
Flat pleated filter (PES)	1	6.907-277.0	1 Unit					Flat pleated filter dust class M, rotproof PES fleece. Suitable for frequent wet pick up.	<input checked="" type="checkbox"/>	
Flat pleated filter HEPA, dust class H										
HEPA flat pleated filter	2	6.904-364.0	1 Unit					HEPA surface filter - dust class H (H 14) - with glass-fibre layers increases filter capacity when vacuuming health-endangering and carcinogenic dust.	<input type="checkbox"/>	
Flat pleated filter (paper)										
Flat pleated filter (paper)	3	6.907-276.0	1 Unit					Flat pleated filter dust class M, nano-coated paper. Suitable for fine dust and dry dirt pick up.	<input type="checkbox"/>	
Flachfaltenfilter (PTFE)										
Flat pleated filter, PTFE	4	6.907-449.0	1 Unit					Polyester fleece with PTFE coating, dust class M, for Tact ² vacuum cleaners. Particularly suitable for very adhesive materials.	<input type="checkbox"/>	
Special filter bags, wet filter bags										
Wet filter bag	5	6.904-252.0	5 Unit					Approved for dust class L, general cleaning, wet and dry, tear-resistant.	<input type="checkbox"/>	
Paper filter bags										
Paper filter bags	6	6.904-285.0	5 Unit					5 3-ply, tear-resistant paper filter bags. BIA-(U, S, G, C) dust class M. For all NT 48/1, NT 65/2 Eco + Me and NT 72/2 Eco Tc models.	<input type="checkbox"/>	
Plastic sacks for dust-free disposal										
Plastic bag for dust-free disposal	7	6.900-698.0	10 Unit					PE plastic sack.	<input type="checkbox"/>	
Membrane filter / fabric filter										
Membrane filter	8	6.904-282.0	1 Unit					Polyester needle fleece membrane/fabric filter - BIA-C -, washable up to 40°C, metal fibres for earthing. Suitable for virtually all industrial two-motor NT vacuum cleaners.	<input type="checkbox"/>	
Candle filter Wood	9	2.414-003.0	1 Unit						<input type="checkbox"/>	
Fleece filter bags										
Fleece filter bags	10	2.885-753.0	5 Unit						<input type="checkbox"/>	

■ Included in delivery. □ Available accessories.

NT 65/2 TACT² TC

1.667-287.0

KÄRCHER



		Order No.	Quantity	ID	Length	Width	Price	Description	
Plastic bend									
Elbow electrically conducting packaged N	1	2.889-172.0	1 Unit	DN 40					■
Plastic bend	2-4	5.031-718.0	1 Unit	DN 35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	□
	3	5.031-939.0	1 Unit	DN 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	□
	4	5.032-427.0	1 Unit	DN 40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.	□
All-purpose nozzles (wet/dry)									
Floor tool packaged NW40 360mm	5	2.889-153.0	1 Unit	40		360 Millimetre		360 mm wide wet and dry floor nozzle with easy-to-change inserts, squeegees.	■
Floor tool DN40-370	6	6.903-018.0	1 Unit	40		370 Millimetre		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN40	7	6.906-383.0	1 Unit	40		450 Millimetre		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	□
Floor tool neutrally DN35	8	6.906-384.0	1 Unit	35		370 Millimetre		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
Wet and dry floor nozzle	9	2.889-117.0	1 Unit	40		400 Millimetre		The wet and dry floor nozzle (DN 40) allows quick changing of the squeegees/brush and is ideal for wet vacuum cleaning of large areas.	□
Floor tool anthracite packaged NW35	10	2.889-173.0	1 Unit	35		300 Millimetre		300 millimetre width, anthracite coloured wet/dry floor nozzle, NW 35. With easy-to-change inserts. Incl. brush strips and squeegees.	□
Floor tool anthracite packaged NW40	11	2.889-174.0	1 Unit	40		360 Millimetre			□
Crevice nozzles									
Crevice nozzle DN 40 300mm 1:50	12	5.130-655.0	1 Unit	DN 40					■
Crevice nozzle DN35	13	6.900-385.0	1 Unit	DN 35		210 Millimetre		Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	□
Crevice nozzle	14	6.900-922.0	1 Unit	35 Millimetre		500 Millimetre		Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	□
Crevice nozzle DN40	15	6.905-817.0	1 Unit	40 Millimetre		400 Millimetre		Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	□
Suction tubes stainless steel									
Set suction tube stainless steel NW40 55	16	2.889-194.0	2 Unit	40		550 Millimetre		Stainless steel suction tube set (2 × 0.55 m)	■

■ Included in delivery. □ Available accessories.

NT 65/2 TACT² TC

1.667-287.0

KÄRCHER



		Order No.	Quantity	ID	Length	Width	Price	Description	
Suction tube, ID 40	17	6.902-081.0	1 Unit	40	500 Millimetre			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
Suction tube	18	6.906-531.0	1 Unit	40	1000 Millimetre			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
Suction tube, DN 35	19	6.902-154.0	1 Unit	35	500 Millimetre			0.5 m long stainless steel suction tube (ID 35) for wet and dry vacuum cleaners. Ideal for frequent wet vacuuming applications and for vacuuming corrosive components.	<input type="checkbox"/>
Bend stainless									
Bend, stainless steel ID 35	20	6.903-141.0	1 Unit	DN 35				Stainless steel and crooked, ID 35	<input type="checkbox"/>
Bend, stainless steel ID 40	21	6.902-079.0	1 Unit	DN 40				Stainless steel and crooked, ID 40	<input type="checkbox"/>
Bend metal									
Bend, DN 35, metal	22	6.900-519.0	1 Unit	DN 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el).	<input type="checkbox"/>
Bend, DN 40, metal	23	6.900-276.0	1 Unit	DN 40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407-111.0; C 40-DN 40, plastic, el).	<input type="checkbox"/>
All-purpose brushes									
All-purpose brush	24	6.903-863.0	1 Unit	35 Millimetre	120 Millimetre			Natural bristles (ox hair), bristle element 120 x 45 mm.	<input type="checkbox"/>
Car cleaning nozzles									
Car nozzle	25	6.900-952.0	1 Unit	DN 40		90 Millimetre		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	<input type="checkbox"/>
Gangway nozzles									
Wide nozzle	26	4.130-400.0	1 Unit	40 Millimetre		611 Millimetre		Wide metal nozzle, height adjustable with brush strip. Only suitable for Tc models.	<input type="checkbox"/>
Rubber suction tools, nose 45°									
Rubber suction tools, nose 45°	27	6.902-104.0	1 Unit	35 Millimetre	220 Millimetre			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
	28	6.902-105.0	1 Unit	40 Millimetre	220 Millimetre			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	<input type="checkbox"/>
Pipe dusting nozzles									
BRUSH	29	6.903-035.0	1 Unit	35 Millimetre				Plastic, pipe diameter 100 mm	<input type="checkbox"/>
	30	6.903-036.0	1 Unit	35 Millimetre				Plastic, pipe diameter 200 mm	<input type="checkbox"/>
Suction tubes metal									
Suction tube DN35	31	6.900-514.0	1 Unit	35	500 Millimetre			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	<input type="checkbox"/>
Set suction tube chromed NW35 550mm	32	2.889-191.0	2 Unit	35	550 Millimetre			Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

NT 65/2 TACT² TC

1.667-287.0



		Order No.	Quantity	ID	Length		Price	Description	
Suction hoses complete (Clip-system)									
Hose electrically conducting packaged NW	1	2.889-141.0	1 Unit	DN 40	4 Metre				<input checked="" type="checkbox"/>
Suction hose	2	4.440-678.0	1 Unit	DN 40	4 Metre				<input type="checkbox"/>
Suction hose, complete (clip system), C DN-40, + PFC module, electrically conductive	3	4.440-728.0	1 Unit	DN 40	4 Metre				<input type="checkbox"/>
Hose electrically conducting packaged NW	4	2.889-137.0	1 Unit	DN 35	4 Metre				<input type="checkbox"/>
Hose packaged NW40 4m	5	2.889-138.0	1 Unit	DN 40	4 Metre				<input type="checkbox"/>
Hose packaged NW35 2.5m	6	2.889-139.0	1 Unit	DN 40	2,5 Metre				<input type="checkbox"/>
Hose oil resistant packaged NW40 4m	7	2.889-140.0	1 Unit	DN 40	4 Metre				<input type="checkbox"/>
Hose electrically conducting packaged NW	8	2.889-142.0	1 Unit	DN 40	2,5 Metre				<input type="checkbox"/>
Repair kits									
Repair set, C 40	9	2.639-873.0	1 Unit	C- 40					<input type="checkbox"/>
Repair kit, DN 61	10	2.862-038.0	1 Unit	DN 61					<input type="checkbox"/>
Repair set NW40	11	2.889-150.0	1 Unit	DN 40					<input type="checkbox"/>
Suction hoses (Clip-system)									
Suction hose	12	6.906-279.0	1 Unit	DN 40	10 Metre				<input type="checkbox"/>
	13	6.906-321.0	1 Unit	40	4 Metre				<input type="checkbox"/>
	14	6.906-714.0	1 Unit	DN 40	4 Metre				<input type="checkbox"/>
Suction hose (Clip-system), C 40, 16 m	15	6.906-635.0	1 Unit	DN 40	16 Metre				<input type="checkbox"/>
Suction hose (clip system), C 40, 10 m, el.	16	6.906-877.0	1 Unit	DN 40	10 Metre				<input type="checkbox"/>
Suction hoses complete									
Suction hose, complete	17	4.440-264.0	1 Unit	DN 61	4 Metre				<input type="checkbox"/>
	18	4.440-328.0	1 Unit	DN 61	3 Metre				<input type="checkbox"/>
Suction hose, complete, ID 61, 10 m	19	4.440-467.0	1 Unit	DN 61	10 Metre				<input type="checkbox"/>
Suction hose, complete, DN 61, 4 m, oil-resistant	20	4.440-613.0	1 Unit	DN 61	4 Metre				<input type="checkbox"/>
Suction hose complete, ID 61, 4 m, el.	21	4.440-616.0	1 Unit	DN 61	4 Metre				<input type="checkbox"/>
Suction hose, complete	22	4.440-263.0	1 Unit	DN 40	4 Metre				<input type="checkbox"/>
	23	4.440-303.0	1 Unit	DN 40	4 Metre				<input type="checkbox"/>
	24	4.440-463.0	1 Unit	DN 40	10 Metre				<input type="checkbox"/>
Suction hose complete	25	4.440-466.0	1 Unit	DN 40	10 Metre				<input type="checkbox"/>
Suction hose, complete, DN 40, 10 m, oil-resistant	26	4.440-612.0	1 Unit	DN 40	10 Metre				<input type="checkbox"/>
Hose connection									
Adapter, ID 32/35, with internal thread	27	6.902-077.0	1 Unit	DN 32					<input type="checkbox"/>
Adapter, ID 40 with internal thread	28	6.900-286.0	1 Unit	DN 40					<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

NT 65/2 TACT² TC 1.667-287.0




		Order No.	Quantity	ID	Length		Price	Description
Extension hoses (Clip-system)								
Extension hose, C 40	29	6.906-344.0	1 Unit	DN 40	2,5 Metre			<input type="checkbox"/>
Extension hose	30	2.889-146.0	1 Unit	DN 40	2,5 Metre			<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

NT 65/2 TACT² TC

1.667-287.0



1



2

		Order No.	Flow rate	Length of the product	Length	Price	Description
Teleskopstangen							
Telescope lance hybrid 10 m	1	4.762-611.0			2.2-10 Metre		□
Adapter set	2	9.751-306.0					

■ Included in delivery. □ Available accessories.

NT 65/2 TACT² TC

1.667-287.0

KÄRCHER



		Order No.	Quantity	ID		Price	Description	
Y-adapter kit								
Y-adapter kit	1	2.637-217.0	1 Unit	35 Millimetre			Plastic distributor - suitable for NT vacuum cleaners.	<input type="checkbox"/>
Connecting sleeve C-DN (clip on taper), EL (electroconductive)								
C-DN 35 adapter	2	5.407-112.0	1 Unit	35 Millimetre			C 35 hose connector for DN 35 accessory, electrically conductive.	<input type="checkbox"/>
C 40 adapter	3	5.407-109.0	1 Unit	C-DN 40			Electrically conductive adapter (C 40) with DN 35 connection for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
C-DN 40 adapter	4	5.407-111.0	1 Unit	40 Millimetre			C 40 hose connector for DN 40 accessory, electrically conductive.	<input type="checkbox"/>
Connection cone NW35	5	5.407-005.0						<input type="checkbox"/>
Connection cone NW40	6	5.407-006.0		DN 40				<input type="checkbox"/>
Adapter for electric power tools, clip on, el.								
Sleeve for tool C35EL	7	5.453-042.0	1 Unit	35 Millimetre			3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
Power tool adapter C 35, electrically conductive	8	5.453-048.0	1 Unit	35 Millimetre			Inside Ø 25.4 mm, outside Ø 34.6 mm / 38 mm, electrically conductive. Only NT vacuums.	<input type="checkbox"/>
	9	5.453-050.0	1 Unit	35 Millimetre			Inside Ø 27 mm, outside Ø 36.5 mm/38.8 mm, electrically conductive. Only NT vacuums.	<input type="checkbox"/>
Adapter for electric power tools, screwable								
Power tool adapter, threaded, DN 35	10	5.453-016.0	1 Unit	35 Millimetre			3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	<input type="checkbox"/>
	11	5.453-026.0	1 Unit	35 Millimetre			Inside Ø 28.6 mm, outside Ø 37.3/38.8 mm.	<input type="checkbox"/>
	12	6.902-059.0	1 Unit	35 Millimetre			Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm.	<input type="checkbox"/>
	13	6.902-095.0	1 Unit	35 Millimetre			2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.	<input type="checkbox"/>
Adapter (tube -> nozzle)								
Adapter	14	5.453-019.0	1 Unit	40 Millimetre			From DN 40 to DN 61: Plastic adapter (electrically non-conductive). Suitable for NT vacuum cleaners.	<input type="checkbox"/>
Reducing sleeves								
Reducer	15	5.407-108.0	1 Unit	40 Millimetre			Threaded reducer - from C-40 to DN 35. Suitable for NT vacuum cleaners.	<input type="checkbox"/>
Sleeve C40 / C35	16	5.407-113.0	1 Unit	40 Millimetre			Reducer (C 40 to C 35) for connecting accessories with C-35 clip connection to suction hoses with C 40 clip system.	<input type="checkbox"/>
Reducer (tube -> nozzle)								
Reducer	17	6.902-017.0	1 Unit	40 Millimetre			Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	<input type="checkbox"/>
Reducer from ID 35 to 32	18	6.902-072.0	1 Unit	35 Millimetre			Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	<input type="checkbox"/>
Set reducing / extension sleeves								
Set of reducers/adapter sleeves	19	2.860-117.0	1 Unit				DN 40/35, DN 35/32 (tube -> nozzle), plastic.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

NT 65/2 TACT² TC

1.667-287.0



		Order No.	ID				Price	Description	
Target group specific vacuum cleaner accessory sets									
Professional cleaning kit ID 40	1	2.637-353.0	DN 40					Individual parts: Suction hose 4 m (4.440-263.0), bend, metal (6.900-276.0), suction tube 2 x 0.5 m, metal (6.900-275.0), grout nozzle (6.903-033.0), floor nozzle with rollers (6.903-051.0).	<input type="checkbox"/>
Chip cleaning kit	2	2.640-760.0	DN 61					Target group-specific robust connection set in DN 61 for cleaning in conjunction with oil-resistant suction hose and rubber nozzle.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

NT 65/2 TACT² TC

1.667-287.0



1



2

		Order No.	Quantity	Width			Price	Description	
Other accessories for T and NT									
CS 40 Me	1	2.863-026.0	1 Unit					The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.	<input type="checkbox"/>
Adapter connection old elektr. leitend	2	5.031-436.0							<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

NT 65/2 TACT² TC

1.667-287.0



		Order No.	Quantity	ID	Length	Width	Price	Description	
UBS non-conductive media									
Attachment kit, non-conductive media Tact ² + Ap	1	2.642-602.0	1 Unit					For switching off when vacuuming non-conductive fluids such as oils and greases	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

NT 65/2 TACT² TC

1.667-287.0



		Order No.	Length	Colour	Quantity	Price	Description	
Miscellaneous								
Extension cable	1	6.647-022.0	20 Metre		1 Unit		Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earthing pin plug, strain relief and anti-kink sleeve.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

NT 65/2 TACT² TC

1.667-287.0



		Order No.	Quantity	ID	Length / width	Price	Description	
Shaving baskets								
Chip sieve	1	5.731-645.0					Plastic, perforates with internal thread. Protection of the drain hose from rough splinters, chips etc.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.