### **B 90 R CLASSIC BP**

The B 90 R Classic Bp battery powered ride-on scrubber dryer is compact, versatile, features an extended tank capacity and variable working widths (55, 65, 75 cm).







Order No.

1.161-306.0


- Very easy to use
- With operating hour counter
- For maintenance cleaning

Technical da	ta		
EAN code			4039784497849
Drive type			Battery
Brush worki	ng width	Millimetre	550 - 750
Vacuum wor	king width	Millimetre	850 - 940
Fresh/dirty	water tank	Litre	90 / 90
Battery		Volt	24
Battery runt	ime	Hour	Maximum 3.5
Brush contac	t pressure	Grams per square centimetre / Kilogram	20 - 315 / 28 - 37
Water consu	mption	Litres per minute	3.5
Sound pressi	ure level	Decibel	69
Total permis	sible weight	Kilogram	460
Dimensions	(L × W × H)	Millimetre	1450 × 800 × 1200

This device requires instruction.

Equipment	
Traction drive	
Automatic water stop	
Included in delivery.	

B 90 R Classic Bp, 1.161-306.0, 2023-05-10





#### Extremely easy to manoeuvre

- Thanks to its very short and narrow construction style, the machine is very agile and easy to manoeuver despite large water volumes.
- The 90° steering system allows you to turn on the spot.
- A low centre of gravity ensures excellent road adherence.

#### Simple operation

- The basic functions are controlled with the EASY switch.
- Operating hours can be viewed on the display.
- Additionally, the roller brushes ensure that water and therefore also cleaning agent are saved.

#### Long operating time

 Large compartment for a large battery capacity.
Maintenance-free gel batteries in the pack variants.























		Order No.	Description	
DISC PADS / PAD DRIVE BOARDS				
Pad drive board				
Pad disk complete STRONG BD75, 375 mm	1	4.762-591.0	Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lots of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 75. 2 pc. required.	
Disk pad BD65, 335 mm	2	4.762-590.0	Required for use of melamine pads, but can also be used for normal pads. Pad drive board with lots of extra hooks for holding pads. Extra-strong hold of the pad at the pad drive board of the cleaning head D 65. 2 pc. required.	
Pad drive board, 375 mm	3	4.762-447.0	Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 75.	
Pad drive board, 335 mm	4	4.762-446.0	Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 65.	
Pad drive board, 280 mm	5	4.762-445.0	Pad driver plate for cleaning with pads, 280 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 55.	
Microfibre pad		<b>'</b>		
Microfibre pad, white, 381 mm, 5 x	6	6.371-078.0	5 microfibre pads, white With centre hole, 381 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 75, BD 75/140 R and BD 40/25 C.	
Microfibre pad, white, 356 mm, 5 x	7	6.369-959.0	5 microfibre pads, white With centre hole, 356 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 65.	
Microfibre pad, white, 280 mm, 5 x	8	6.369-120.0	Microfibre pad set: Five white microfibre pads of diameter 280 mm with centre hole and outstanding cleaning power. Cleans even fine stone tiles right down to the grain. Suitable for D 55 e.g	
Pads				
Pad, medium-soft, red, 650 mm, 5 x	9	6.371-000.0	Medium-hard pad (650 $\times$ 300 mm) in red version for cleaning all floors in combination with the S 65 head.	
Pad, hard, brown, 650 mm, 5 x	10	4.642-025.0	Tough, brown pad (650 $\times$ 300 mm) including a hook and loop fastener. For restoring shine in combination with the S 65 head. Only for insensitive surfaces.	
Pad, medium-soft, red, 381 mm, 5 x	11	6.369-791.0	5 pads, medium-soft, red, 381 mm diameter. For cleaning all floors. Suitable for, e.g. D 75.	
Pad, medium-hard, green, 381 mm, 5 x	12	6.369-790.0	5 pads, medium-hard, green, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75.	
Pad, hard, black, 381 mm, 5 x	13	6.369-789.0	5 pads, hard, black, 381 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75.	
Pad, medium-soft, red, 356 mm, 5 x	14	6.369-003.0	5 pads, medium-soft, red, 356 mm diameter. For cleaning all floors. Suitable for, e.g. D 65.	

 $<sup>\</sup>blacksquare$  Included in delivery.  $\qed$  Available accessories.

























		Order No.	Description	
DISC PADS / PAD DRIVE BOARDS				t
Pads				
Pad, medium-hard, green, 356 mm, 5 x	15	6.369-002.0	5 pads, medium-hard, green. 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65.	
Pad, hard, black, 356 mm, 5 x	16	6.369-001.0	5 pads, hard, black, 356 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 65.	
Pad, medium-soft, red, 280 mm, 5 x	17	6.371-153.0	5 pads, medium-soft, red, 280 mm diameter. For cleaning all floors. Suitable for, e.g. D 55.	Г
Pad, medium-hard, green, 280 mm, 5 x	18	6.371-154.0	5 pads, medium-hard, green. 280 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 55.	
Pad, hard, black, 280 mm, 5 x	19	6.371-155.0	5 pads, hard, black, 280 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 55.	
Diamond pads	•			
Diamond pad, coarse, white, 385 mm, 5 x	20	6.371-252.0	For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.	
Diamond pad, medium, yellow, 385 mm, 5 x	21	6.371-253.0	For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface For surface preparation prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation.	
Diamond pad, fine, green, 385 mm, 5 x	22	6.371-236.0	For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high-gloss crystallisation.	
Diamond pad, coarse, white, 356 mm, 5 x	23	6.371-250.0	For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.	
Diamond pad, medium, yellow, 356 mm, 5 x	24	6.371-251.0	For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface For surface preparation prior to using the green diamond pad. Also suitable as a crystallisation pad for high-gloss crystallisation.	
Diamond pad, fine, green, 356 mm, 5 x	25	6.371-235.0	For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high-gloss crystallisation.	
Diamond pad, coarse, white, 280 mm, 5 x	26	6.371-246.0	For coarse cleaning/restoring. Removes small scratches, for a clean, silky matt surface. For surface preparation prior to using the yellow pad. Also suitable as a crystallisation pad for basic crystallisation.	
Diamond pad, medium, yellow, 280 mm, 5 x	27	6.371-247.0	For coarse cleaning/restoring. Removes fine scratches for a more homogeneous and shinier surface For surface preparation prior to using the green diamond pad.	. [
Diamond pad, fine, green, 280 mm, 5 x	28	6.371-233.0	For effortless polishing of laminated floors, terrazzo and natural stone surfaces. For maintenance cleaning after using white and yellow pads. As a crystallisation pad for high-gloss crystallisation.	

<sup>☐</sup> Available accessories.



















		Order No.	Description	
DISC PADS / PAD DRIVE BOARDS		Order No.	Description	_
Melamine pads				_
Pad set 2x D 381 Melamin	29	6.371-022.0	Melamine pad set with 381 mm diameter for our BD 80 W scrubber drier and other machines with the D 75 disc brush head. For the effective cleaning of microporous surfaces.	
Pad set 2x D 356 Melamin	30	6.371-021.0	Melamine pad set with 356 mm diameter for our B 60 W, B 80 W, B 95 RS and B 90 R scrubber driers with the D 65 disc brush head. For the effective cleaning of microporous surfaces.	
SUCTION BARS AND SQUEEGEES				
Suction bar, complete				
Squeegee, 1000 mm, V-shaped	31	4.777-080.0	Suitable for all conventional floors and with very good gliding properties on crevices: V-shaped squeegee with length of 1,000 mm and suction lips made from wear-resistant polyurethane with a long lifetime.	
V-squeegee, 900 mm, V-shaped	32	4.777-079.0	900 mm long, V-shaped squeegee with suction lips made from wear- and oil-resistant polyurethane with a long lifetime and for all floors. With spirit level for precise adjustment.	÷ [
Squeegee, 940 mm, straight	33	4.777-402.0	Straight squeegee with adjustable support rollers, 940 mm. Oil-resistant, grooved squeegee blades of hard wearing polyurethane for all standard floors. Includes additional weights for uniform contact pressure.	
Squeegee, 850 mm, straight	34	4.777-401.0	Straight, with support rollers. Squeegee blades of oil-resistant, transparent polyurethane.	Г
Squeegees for suction bars		•		
Rubber lip set corrugated oil resistant, oil-resistant, grooved, 1116 mm	35	6.273-024.0	Designed for our 1,000 mm-long, V-shaped squeegees, this fluted suction lip set impresses on all floors. High-quality, oil-resistant design made from durable polyurethane.	
Rubber lip set corrugated oil resistant, oil-resistant, grooved, 1010 mm	36	6.273-023.0	Suction lip set, fluted and developed for V-shaped squeegees with length of 900 mm. The suction lips are made of wear- and oil-resistant polyurethane and are suitable for all floors.	
Suction lips, oil-resistant, grooved, 960 mm	37	6.273-208.0	Squeegee blade kit includes front and rear squeegee blades, 960 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.	
Suction lips, oil-resistant, slotted, 960 mm	38	6.273-205.0	Squeegee blade kit includes front and rear squeegee blades, 960 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.	
Suction lips, oil-resistant, closed, 960 mm	39	6.273-291.0	Closed, oil-resistant, for structured floors.	Г
Suction lips, Natural rubber, 960 mm	40	6.273-214.0	Squeegee blade kit includes front and rear squeegee blades, 960 mm. Soft natural rubber grooved squeegee blades. For all standard floors.	
Rubber lip set oil resistant BR-BD530,55, oil-resistant, grooved, 890 mm	41	6.273-207.0	Squeegee blade kit includes front and rear squeegee blades, 870 mm. Grooved squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For all standard floors.	
Suction lips, oil-resistant, slotted, 890 mm	42	6.273-229.0	Squeegee blade kit includes front and rear squeegee blades, 870 mm. Slotted squeegee blades of hard-wearing, oil-resistant, transparent polyurethane. For sensitive floors.	

<sup>☐</sup> Available accessories.

#### **KÄRCHER**























				_
		Order No.	Description	
SUCTION BARS AND SQUEEGEES				ľ
Squeegees for suction bars				П
Suction lips, oil-resistant, closed, 890 mm	43	6.273-290.0	Suction lip set, consisting of front and rear suction lip. 890 mm long. In an enclosed design made from wear-resistant, oil-resistant and transparent polyurethane. For textured floors.	
Rubber lip set standard, Natural rubber, 890 mm	44	6.273-213.0	Squeegee blade kit includes front and rear squeegee blades, 870 mm. Soft natural rubber grooved squeegee blades. For all standard floors.	
OTHER ACCESSORIES FOR BR / BD		<u> </u>		Ė
Wheels/tyres				
Tyres, supergrip	45	6.435-403.0	Oil-resistant, with especially good traction.	[
Miscellaneous		<b>'</b>		Ť
Add-on kit eco!zero	46	5.388-133.0	With eco!zero for climate-neutral cleaning: as compensation for the CO <sub>2</sub> which is produced by	[
			using the machine, we support climate protection projects worldwide.	
Filling hose	47	6.680-124.0	1,500-mm filling hose for easy device filling from a water tap. With universal tapered fitting for al standard taps.	1 [
Dirty water tank filter	48	6.414-976.0	Improves airflow even when damp, thanks to modified filter material.	[
Additional weight kit	49	5.031-498.0	ensures that squeegee glides optimally	[
RM Dosierstation				Ť
DS 3 cleaning agent dosing station	50	2.641-811.0	Directly connectable with the tab, water and detergent will be filled in the fresh water tank in the preset mixture. Can also be used with filling system kit.	[
TRACTION BATTERIES AND CHARGERS				Ė
Batteries				
Battery kit Gel 4x 6V/180Ah, 24 V, 180 Ah, maintenance-free	51	2.815-101.0	Battery kit with 24 V voltage and 180 Ah (C5) capacity. Comprising several maintenance-free singl gel batteries.	e [
Battery kit, 24 V, 180 Ah, low maintenance	52	6.654-070.0	Battery pack includes six 4 V batteries and connecting cables	[
Battery kit AGM 4x 6V/170Ah, 24 V, 170 Ah, maintenance-free	53	2.815-092.0	Battery kit with 24 V voltage and 170 Ah (C5) capacity. Comprising several maintenance-free singl AGM batteries.	e I
Battery Chargers				Ė
Charger, 24 V	54	6.654-072.0	For battery 6.654-070. Please order adapter 6.648-582.0 additionally.	
	55	6.654-078.0	For battery 6.654-124	1
	56	6.654-180.0	For operating with 100 - 230 V. For battery 6.654-124.0 (4 x) and 6.654-130.0.	1
☐ Available accessories.				-

 $<sup>\</sup>hfill \square$  Available accessories.



















		Order No.	Description	
TRACTION BATTERIES AND CHARGERS				
Battery Chargers				
Battery charger 24V, 24 V	57	4.654-013.0	24 V battery charger, specially for the high-performance, low-maintenance 24 V battery set with 180 Ah storage capacity (order no. 4.035-440.0).	[
Battery charger, 24 V	58	4.654-316.0	External battery charger for charging the maintenance-free 180-Ah-Battery (Order no. 6.654-124.0) for our B 60 C Classic scrubber drier.	[
Accessories for batteries				
Mounting kit battery kit	59	2.638-064.0	Installation kit for installing battery kit in a machine. Incl. 2 brackets and 3 connection cables.	[
	60	2.638-106.0	Installation kit for installing battery kit in a machine. Incl. 3 connection cables.	[
TRACTION BATTERIES				
Battery	61	6.654-119.0	4 required.	[
CHARGERS		<u> </u>		Ť
Charger	62	6.654-120.0	For charging 24V/240Ah maintenance-free batteries (6.654-119.0).	1
ROLLER BRUSHES FOR BR				Ė
Roller brush, soft, white, 638 mm	63	6.906-981.0	Roller brush, very soft, white. Length: 638 mm.With wear-resistant star-wheel mechanism. For cleaning sensitive floors and polishing. Bristles: Polyamide, 0.3 mm thick, 20 mm long.	[
Roller brush red for replacement BR65, medium, red, 638 mm	64	4.035-187.0	Roller brush, medium-hard, red. Length: 638 mm.With wear-resistant star-wheel mechanism. For normal use. Bristles: Polypropylene, 0.5 mm thick, 20 mm long.	[
Roller brush, high / low, orange, 638 mm	65	6.906-982.0	Roller brush, high/low, medium-hard, orange. Length: 638 mm.With wear-resistant star-wheel mechanism. For cleaning heavily structured floors and deep crevices. Bristles: Polyamide, 0.6 mm thick, 15-20 mm long.	[
Roller brush, hard, green, 638 mm	66	6.906-983.0	Roller brush, hard, green. Length: 638 mm.Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.	l
Roller brush, very hard, black, 638 mm	67	6.906-984.0	Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits R 65.	
Roller brush, soft, white, 532 mm	68	6.906-977.0	Roller brush, very soft, white. Length: 532 mm.With wear-resistant star-wheel mechanism. For cleaning sensitive floors and polishing. Bristles: Polyamide, 0.3 mm thick, 20 mm long.	
Roller brush red for replacement BR 55, medium, red, 532 mm	69	4.035-193.0	Medium, for all floors. Standard with R 55.	
Roller brush, high / low, orange, 532 mm	70	6.906-978.0	Roller brush, high/low, medium-hard, orange. Length: 532 mm.With wear-resistant star-wheel mechanism. For cleaning heavily structured floors and deep crevices. Bristles: Polyamide, 0.6 mm thick, 15-20 mm long.	

<sup>☐</sup> Available accessories.























				_
		Order No.	Description	
ROLLER BRUSHES FOR BR				
Roller brush, hard, green, 532 mm	71	6.906-979.0	Roller brush, hard, green. Length: 532 mm.Wear-resistant star-wheel mechanism. For heavily soiled floors and basic cleaning. Bristles: Polyamide with silicon carbide, 0.6 mm thick, 20 mm long.	
Roller brush, very hard, black, 532 mm	72	6.906-980.0	Very hard, for extremely sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits R 55.	
Roller brush red for replacement - R75, medium, red, 700 mm	73	4.035-578.0		
Roller brush white - R75, soft, white, 700 mm	74	6.907-729.0		
Roller brush orange - R75, high / low, orange, 700 mm	75	6.907-730.0		
Roller brush green - R75, hard, green, 700 mm	76	6.907-731.0		
Roller brush black - R75, very hard, black, 700 mm	77	6.907-732.0		
DISC BRUSHES FOR BD				
Disc brush, very soft, white, 385 mm	78	4.905-019.0	Very soft, for cleaning sensitive surfaces and for polishing. Fits D 75.	
Disc brush, soft, natural, 385 mm	79	4.905-020.0	Made of natural fibres, for spray cleaning and for polishing.	
Disc brush, medium, red, 385 mm	80	4.905-018.0	Medium-hard disc brush (385 mm) in red version for all conventional cleaning applications. Also suitable for sensitive floors.	
Disc brush, hard, black, 385 mm	81	4.905-021.0	Disc brush, hard, black, 385 mm diameter. For stubborn dirt and basic cleaning. Only for insenstive floors. Bristles: Grit Tynex 180, 1mm thick, 41 mm long.	
Disc brush, very soft, white, 355 mm	82	4.905-011.0	Disc brush, very soft, white, 355 mm diameter. For cleaning sensitive floors and polishing. Fits brush head D 65. Bristle length: 41 cm.	
Disc brush, soft, natural, 355 mm	83	4.905-012.0	Made of natural fibres, for spray cleaning and for polishing. Fits D 65.	
Disc brush, medium, red, 355 mm	84	4.905-010.0	Disc brush, medium-hard, red, 355 mm diameter. For normal use. Also suitable for sensitive floors. Standard brush head D 65.	

<sup>☐</sup> Available accessories.

#### **KÄRCHER**





























		Order No.	Description	
DISC BRUSHES FOR BD				t
Disc brush, hard, black, 355 mm	85	4.905-013.0	Disc brush, hard, black, 355 mm diameter. For stubborn dirt and basic cleaning. Only for insenstive floors. Bristles: Grit Tynex 180, 1mm thick, 41 mm long.	
Disc brush, very soft, white, 300 mm	86	4.905-015.0	very soft, white, for cleaning sensitive surfaces and for polishing; fits D 55	
Disc brush, soft, natural, 300 mm	87	4.905-016.0	Made of natural fibres, for spray cleaning and for polishing. Fits D 55.	Г
Disc brush, medium, red, 300 mm	88	4.905-014.0	Disc brush, medium-hard, red, 300 mm diameter. For normal use. Also suitable for sensitive floors. Standard for brush head D 55.	
Disc brush, hard, black, 300 mm	89	4.905-017.0	Disc brush, hard, black, 300 mm diameter. For stubborn dirt and basic cleaning. Only for insenstive floors. Bristles: Grit Tynex 180, 1mm thick, 41 mm long.	
BRUSH HEADS	<u> </u>			
Brush-head R 75	90	2.763-006.0	Brush-head with 2 roller brushes and a working width of 75 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	e
Brush-head R 65	91	2.763-004.0	Brush-head with 2 roller brushes and a working width of 65 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately.	- 1
Brush-head R 55	92	2.763-002.0	Brush-head with 2 roller brushes and a working width of 55 cm. Brush change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head is packed separately.	- 1
Brush-head D 75	93	2.763-005.0	Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 75 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	e
Brush-head D 65	94	2.763-003.0	Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 65 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	e
Brush-head D 55	95	2.763-001.0	Brush-head with 2 disc brushes, brush-quick-change and a working width of 55 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee: Packed separately.	1 [
Brush-head S 65	96	2.763-030.0	Floor head with cleaning pad for restoring shine on hard and resilient floors. Constant contact pressure on the entire pad surface. Also cleans edges and in corners.	
Connection kit B 90 R	97	4.036-061.0	Kit for connecting the S 65 floor head to the B 90 R.	
ROLLER PADS / ROLLER PAD SHAFT				
Roller pad shaft				
Pad roller shaft, 638 mm	98	4.762-433.0	Roller pad shaft, aluminium For roller pads or microfibre rollers, length 638 mm. Fits brush head R 56.	























		Order No.	Description	
ROLLER PADS / ROLLER PAD SHAFT				Ť
Roller pad shaft				
Pad roller shaft, 532 mm	99	4.762-432.0	Roller pad shaft, aluminium For roller pads or microfibre rollers, length 532 mm. Fits brush head R 55.	
Roll pad - R75, 700 mm	100	4.762-627.0		
Roller pads	<u>'</u>			
Roller pad, soft, yellow	101	6.369-454.0	Roller pads (x20) soft, yellow. For polishing and cleaning non-structured floors. Suitable for use with appropriate pad roller shaft.	
Roller pad, medium, red	102	6.369-456.0	Roller pads (x20), medium, red. For cleaning non-structured floors. Suitable for use with appropriate pad roller shaft. About 7 to 7.5 pads are required per 10 cm shaft length.	
Roller pad, hard, green	103	6.369-455.0	Roller pads (x20), hard, green. For removing stubborn dirt and basic cleaning of non-structured floors. Suitable for use with appropriate pad roller shaft.	
Microfibre shaft				
Microfibre roller, 700 mm	104	4.114-007.0	World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-434.0. Fits on R 75.	
Microfibre roller, 638 mm	105	4.114-006.0	World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-433.0. Fits on R 65.	
Microfibre roller, 532 mm	106	4.114-005.0	World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with roller pad shaft 4.762-432.0. Fits on R 55.	
KITS				
Lighting/RKL mounting kit				
Flashing light kit	107	2.641-718.0	Increases the safety of the working environment.	
Other attachment kits				
Filling system kit	108	2.641-748.0	Automatic filling system. Water supply automatically stops when the tanks is full. With safety overflow.	
Support roller kit	109	2.641-773.0	Reduces the danger of damaging the floor through abrupt steering at high speeds, sharp breaking on corners or when turning on downhill slopes.	
Suction hose accessories	110	4.444-015.0	For vacuuming water out of corners or containers (e.g. freezers).	
Set deflector roll stack formation SB	111	4.035-619.0		
SPRAY UNITS				
Pump spray bottle 1 l	112	6.394-409.0	1-litre pump spray bottle – including pump and pressure tank – easy, uniform spraying for cleaning or crystallising.	3 [

<sup>☐</sup> Available accessories.